

PRELIMINARY AMENDMENT
Attorney Docket Q62421

current access data to the terminal [(TERA), characterised by] the process comprising the
[following further] steps of:

the terminal [(TERA) signals] signalling the current access data to a service
computer [(SCP, GPTM)] of the telecommunications network,

a switching centre [(SW1)] of the telecommunications network [signals]
signalling to the service computer [(SCP, GPTM)] the fact that an incoming call destined
for the subscriber line [(VA1)] is waiting, and

the service computer [(SCP, GPTM)] [supplies] supplying at least one
predetermined service for the purpose of processing the incoming call.

2. (Amended) [Process] A process according to Claim 1, characterised in that by way of
a predetermined service the service computer [(SCP, GPTM)] sends a message to the terminal
[(TERA)] in which attention is drawn to the incoming call.

3. (Amended) [Process] A process according to Claim 1, characterised in that by way of
a predetermined service the service computer [(SCP, GPTM)] forwards the incoming call to an
alternative destination [(TELA2)].

4. (Amended) [Process] A process according to Claim 1, characterised in that by way of
a predetermined service the service computer [(SCP, GPTM)] forwards the incoming call to the
terminal [(TERA)] via the online data network.

5. (Amended) [Process] A process according to Claim 1, characterised in that by way of
a predetermined service the service computer [(SCP, GPTM)] instructs one of the switching
centre [(SW1)] [or] and the terminal [(TERA)] to break off or to interrupt the online data-
network session blocking the subscriber line [(VA1)] and in that the switching centre [(SW1)]
signals the incoming call on the subscriber line [(VA1)].

PRELIMINARY AMENDMENT
Attorney Docket Q62421

6. (Amended) [Process] A process according to Claim 1, characterised in that:

by way of a predetermined service the service computer [(SCP, GPTM)] sends a selection menu to the terminal [(TERA)], by means of which a selection of possible follow-up services for the purpose of processing the incoming call is offered,

[in that] the terminal [(TERA)] ascertains a selection that has been made by an operator in the selection menu,

[in that] the terminal [(TERA)] sends the selection to the service computer [(SCP, GPTM)], and

[in that] the service computer [(SCP, GPTM)] supplies the follow-up service defined in the selection.

7. (Amended) [Process] A process according to Claim 1, characterised in that the service computer [(SCP, GPTM)] sends an instruction to the switching centre [(SW1)] to signal to the service computer [(SCP, GPTM)] the fact that an incoming call destined for the subscriber line [(VA1)] is waiting if the terminal [(TERA)] has set up the connection [(VA11, VA1, VPOP)] [blocking the subscriber line (VA1)] to the access device [(POP)] of the online data network [(INT)] via the subscriber line [(VA1)].

8. (Amended) [Process] A process according to Claim 1, characterised in that the switching centre [(SW1)] signals to the service computer [(SCP, GPTM)] a clear-down of the connection [(VA11, VA1, VPOP)] blocking the subscriber line [(VA1)] of the terminal (TERA) to the access device (POP) of the online data network (INT) via the subscriber line (VA1)].

9. (Amended) [Process] A process according to Claim 1, characterised in that when a call comes in that is directed to a special call number which has been set up in the switching centre [(SW1)], the switching centre [(SW1)] signals to the service computer [(SCP, GPTM)] the fact that an incoming call destined for the subscriber line [(VA1)] is waiting.

PRELIMINARY AMENDMENT
Attorney Docket Q62421

10. (Amended) A service computer [(SCP, GPTM)] for handling incoming telephone calls for a subscriber line [(VA1)] of a telecommunications network [(PSTN) during] while an online data-network session of a terminal [(TERA)] is blocking the subscriber line [(VA1)], **characterised in that** the service computer [(SCP, GPTM) exhibits] comprises:

a receiver [receiving means (TRSC, CPUSC, CPUGP, IGP) which are] configured in such a way that the service computer [(SCP, GPTM)] can receive access data sent from the terminal [(TERA)] which the terminal [(TERA)] has received from an access device [(POP)] of an online data network [(INT)] in the course of the setting-up of a connection [(VA11, VA1, VPOP1)] to the online data network [(INT)] via the subscriber line [(VA1)], and further configured such that the service computer can receive a message from a switching centre of the telecommunications network in which the switching centre signals to the service computer an incoming call destined for the subscriber line

[in that the service computer (SCP, GPTM)] exhibits] a memory [means (MEMSC, MEMGP) which are] configured in such a way that the service computer [(SCP, GPTM)] can store the access data, and

[in that the receiving means [(TRSC, CPUSC, TRGP, CPUGP)] are moreover configured in such a way that the service computer [(SCP, GPTM)] can receive a message from a switching centre [(SW1)] of the telecommunications network, in which the switching centre [(SW1)] signals an incoming call destined for the subscriber line [(VA1)] to the service computer [(SCP, GPTM), and in that the service computer [(SCP, GPTM)] exhibits]

a service supply [supplying means (TRSC, MEMSC, CPUSC, TRGP, MEMGP, CPUGP) which are] configured in such a way that the service computer [(SCP, GPTM)] can supply at least one predetermined service for the purpose of processing the incoming call with the aid of the access data.

11. (Amended) A switching centre [(SW1)] for handling incoming telephone calls for a subscriber line [(VA1)] of a telecommunications network [(PSTN) during] while an online data-

PRELIMINARY AMENDMENT
Attorney Docket Q62421

network session of a terminal [(TERA)] is blocking the subscriber line [(VA1)], said switching centre [(SW1)] exhibiting receiving means (TRSW) which are] including a receiver configured in such a way that the switching centre [(SW1)] can receive and hold an incoming call destined for the subscriber line [(VA1)] while the subscriber line [(VA1)] is blocked by an online data-network session of the terminal [(TERA)], and [said switching device (SW1) exhibiting] recognition [means (TRSW, CPUSW) which are] apparatus configured in such a way that the switching centre [(SW1)] can recognise that the terminal [(TERA)] has set up a connection [(VA11, VA1, VPOP)] blocking the subscriber line [(VA1)], **characterised in that** the switching centre [(SW1) exhibits] further comprises:

[sending means (TRSW, CPUSW) which are] a transmitter configured in such a way that the switching centre can send a message to a service computer [(SCP, GPTM)] if an incoming call destined for the subscriber line [(VA1)] is waiting while the subscriber line [(VA1)] is blocked by an online data-network session of the terminal [(TERA)].

12. (Amended) A terminal [(TERA)] for handling incoming telephone calls for a subscriber line [(VA1)] of a telecommunications network [(PSTN) during] while an online data-network session of the terminal [(TERA)] is blocking the subscriber line [(VA1)], **characterised in that** the terminal [(TERA) exhibits] comprises:

a [receiving means (TRTER) which are] receiver configured in such a way that the terminal [(TERA)] can receive current access data from an access device [(POP)] of an online data network [(INT)] which the access device [(POP)] sends to the terminal [(TERA)] in the course of the setting-up of a connection [(VA11, VA1, VPOP)] to the online data network [(INT)] via the subscriber line [(VA1)], and

[in that the terminal (TERA)] exhibits sending means (TRTER) which are] a transmitter configured in such a way that the terminal [(TERA)] can send the current access data to a service computer [(SCP, GPTM)] of the telecommunications network, which with the aid of the access data can supply at least one predetermined service for the purpose of processing an incoming call.

13. (Amended) A terminal [(TERA)] for handling incoming telephone calls for a subscriber line [(VA1)] of a telecommunications network [(PSTN) during] while an online data-network session of the terminal [(TERA)] is blocking the subscriber line [(VA1)], **characterised in that** the terminal [(TERA) exhibits] comprises:

[receiving means (TRTER) which are] a receiver configured in such a way that the terminal [(TERA)] can receive instructions from a service computer [(SCP, GPTM)] which, with a view to supplying at least one predetermined service for the purpose of processing the incoming call, the service computer [(SCP, GPTM)] sends off to the terminal [(TERA)] with the aid of access data which the service computer [(SCP, GPTM)] has obtained from the terminal [(TERA)] after a connection [(VA11, VA1, VPOP)] from the terminal [(TERA)] to the online data network [(INT)] has been set up via the subscriber line [(VA1)], and

[in that the terminal (TERA) exhibits executing means (CPUTR, MEMTR) which are] execution apparatus configured in such a way that the terminal [(TERA)] can execute the instructions.

14. (Amended) An access-data-sending program module for a terminal [(TERA)] for handling incoming telephone calls for a subscriber line [(VA1)] of a telecommunications network [(PSTN) during] while an online data-network session of the terminal [(TERA)] is blocking the subscriber line [(VA1)], said program module containing program code which can be executed by a processor [(CPUTR)] in the terminal [(TERA)], **characterised in that** the program module [exhibits] comprises:

receiving [means which are configured in such a way that the program module can receive] code for receiving from an access device [(POP)] of an online data network [(INT)] current access data which the access device [(POP)] sends to the terminal [(TERA)] in the course of the setting-up of a connection [(VA11, VA1, VPOP)] to the online data network [(INT)] via the subscriber line [(VA1)], and

PRELIMINARY AMENDMENT
Attorney Docket Q62421

[in that the program module exhibits] sending [means which are configured in such a way that the program module can send] code for sending the current access data to a service computer [(SCP, GPTM)] of the telecommunications network, which with the aid of the access data can supply at least one predetermined service for the purpose of processing an incoming call.

15. (Amended) A program module for a terminal [(TERA)] for handling incoming telephone calls for a subscriber line [(VA1)] of a telecommunications network [(PSTN)] during while an online data-network session of the terminal [(TERA)] is blocking the subscriber line [(VA1)], said program module containing program code which can be executed by a processor [(CPUTR)] in the terminal [(TERA)], **characterised in that** the program module [exhibits] comprises:

receiving [means which are configured in such a way that the program module can receive] code for receiving instructions from a service computer [(SCP, GPTM)] which the service computer [(SCP, GPTM)] sends off to the terminal [(TERA)] with a view to supplying at least one predetermined service for the purpose of processing the incoming call with the aid of access data which the service computer [(SCP, GPTM)] has received from the terminal [(TERA)] after a connection [(VA11, VA1, VPOP)] from the terminal [(TERA)] to the online data network [(INT)] has been set up via the subscriber line [(VA1)], and

[in that the program module exhibits executing means which are configured in such a way that the program module can execute] execution code for executing the instructions.

16. (Amended) A memory [means with] storing an access-data-sending program module according to Claim 14.

17. (Amended) A memory [means with] storing a program module according to Claim 15.